This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended): A probiotic composition for <u>addition to [the] a reduction of a bacterium in an aquatic environment comprising consisting of:</u>

an isolated bacteria a biologically pure bacterium of the genus Bacillus for a reduction of a pathogenic bacterium.

- 2. (currently amended): The composition of claim 1 wherein the bacteria biologically pure bacterium is further defined as *Bacillus cereus*.
- 3. (currently amended): The composition of claim 1 wherein the isolated *Bacillus*biologically pure bacterium is strain EHC 100 having ATCC RRRL deposit accession number
 B-30535.
- 4. (currently amended): The composition of claim 1 wherein the bacterium being reduced is a pathogenic bacterium selected from the group consisting essentially of *Streptococcus*, *Psuedomonas* and *Aeromonas*.
- 5. (currently amended): The composition of claim 3 wherein the bacterium being reduced is a pathogenic bacterium selected from the group consisting essentially of *Streptococcus*, *Psuedomonas Pseudomonas* and *Aeromonas*.
 - 6. (original): The composition of claim 1 further comprising from 2 to 5% sodium.

- 7. (currently amended): The composition of claim 2 wherein the isolated *Bacillus cereus* biologically pure bacterium has a density of from 4×10^8 to 6×10^8 colony forming units per milliliter.
- 8. (original): The composition of claim 7 wherein the colony forming units of the *Bacillus cereus* are less than 99% spores.

- 9. (original): The composition of claim 7 wherein the colony forming units of the *Bacillus cereus* are less than 80% spores.
- 10. (currently amended): The composition of claim 1 wherein the aquatic environment is a koi Koi pond.
 - 11. (original): The composition of claim 1 wherein the aquatic environment is saltwater.
- 12. (original): The composition of claim 1 wherein the aquatic environment is a shrimp pond.
- 13. (original): The composition of claim 1 wherein the aquatic environment is freshwater.
- 14. (original): A method for reducing levels of pathogenic bacteria in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 2 to the aquatic environment to cause a reduction in the pathogenic bacteria.

15. (currently amended): The method of claim 14 further comprising:

determining the levels a level of pathogenic bacteria in the aquatic environment before and after addition of the composition; and

adding a second dose of the composition to the aquatic environment to cause a further reduction in the pathogenic bacteria.

16. (original): A method for reducing levels of pathogenic bacteria in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 3 to the aquatic environment to cause a reduction in the pathogenic bacteria.

17. (currently amended): The method of claim 16 further comprising:

determining the levels a level of pathogenic bacteria in the aquatic environment before and after addition of the composition; and

adding a second dose of the composition to the aquatic environment to cause a further reduction in the pathogenic bacteria.

- 18. (original): The method of claim 14 wherein 20 to 60 milliliters of the composition having from 4×10^8 to 6×10^8 of the *Bacillus cereus* is added per 1,000 gallons of aquatic environment.
- 19. (currently amended): The method of claim 16 wherein 20 to 60 milliliters of the composition having from 4×10^8 to 6×10^8 of the EHC 100 strain EHC 100 having ATCC deposit accession number B-30535 is added per 1,000 gallons of aquatic environment.
- 20. (currently amended): The method of claim 14 wherein the aquatic environment is a koi Koi pond.
- 21. (currently amended): The method of claim 16 wherein the aquatic environment is a koi Koi pond.

- 22. (original): The method of claim 14 wherein the aquatic environment is saltwater.
- 23. (original): The method of claim 16 wherein the aquatic environment is saltwater.
- 24. (original): The method of claim 14 wherein the aquatic environment is freshwater.
- 25. (original): The method of claim 16 wherein the aquatic environment if freshwater.
- 26. (currently amended): A method for reducing the levels of fish morbidity in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 2 to the aquatic environment to cause a reduction in <u>a pathogenic bacterium bacteria</u> in the aquatic environment.

27. A method for reducing the levels of fish morbidity in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 3 to the aquatic environment to cause a reduction in pathogenic bacterium in the aquatic environment.

28. (currently amended): The method of claim 26 further comprising:

determining the levels a level of pathogenic bacteria in the aquatic environment before and after addition of the composition;

determining the <u>an</u> approximate number of fish in the aquatic environment before and after the addition of the composition to the aquatic environment; and

adding a second dose of the composition to the aquatic environment to cause a further reduction in the pathogenic bacteria.

29. (currently amended): The method of claim 27 further comprising:

determining the levels an approximate number of pathogenic bacteria in the aquatic environment before and after addition of the composition;

determining the approximate number of fish in the aquatic environment before and after the addition of the composition to the aquatic environment; and

adding a second dose of the composition to the aquatic environment to cause a further reduction in the pathogenic bacteria.

- 30. (original): The method of claim 26 wherein the fish is Tilapia.
- 31. (original): The method of claim 27 wherein the fish is *Tilapia*.
- 32. (original): The method of claim 26 wherein 20 to 60 milliliters of the composition having from 4×10^8 to 6×10^8 of the *Bacillus cereus* is added per 1,000 gallons of aquatic environment.
- 33. (currently amended): The method of claim 27 wherein 20 to 60 milliliters of the composition having from 4×10^8 to 6×10^8 of the strain EHC 100 having ATCC deposit accession number B-30535 is added per 1,000 gallons of aquatic environment.
- 34. (currently amended): The method of claim 26 wherein the aquatic environment is a kei Koi pond.
- 35 (currently amended): The method of claim 27 wherein the aquatic environment is a koi Koi pond.
- 36. (original): The method of claim 26 wherein the aquatic environment is a shrimp pond.

- 37. (original): The method of claim 27 wherein the aquatic environment is a shrimp pond.
 - 38. (original): The method of claim 26 wherein the aquatic environment is saltwater.
 - 39. (original): The method of claim 27 wherein the aquatic environment is saltwater.
 - 40. (original): The method of claim 26 wherein the aquatic environment is freshwater.
 - 41. (original): The method of claim 27 wherein the aquatic environment is freshwater.
- 42. (currently amended): A method for treating fish infected with [[a]] pathogenic bacteria in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 3 to the aquatic environment to cause a reduction in the <u>a</u> percentage of fish infected with the pathogenic bacterium bacteria.

43. (currently amended): A method for treating shellfish infected with [[a]] pathogenic bacteria in an aquatic environment comprising:

adding a sufficient amount of the composition of claim 3 to the aquatic environment to cause a reduction in the <u>a</u> percentage of shellfish infected with the pathogenic bacterium bacteria.